# वस्नाक INDIA'S LEADING AND FASTEST GROWING GYPSUM PLASTER BRAND.

.....

.....

11111111

11111111

.....

111111

.....

.....

in to m

110111

.....

......

.....

.....

utilill

11111111

utitili

By Vsnac Plaster Private Limited.

111111111111

.....

.....

.....

.........

......

......

......

.....

..........

......

Ovsnacplaster2023edition

### VSNAC

### Intro-Duction.

Vsnac Plaster Private Limited Is One Of The India's Leading And Fastest Growing Gypsum Plaster Brand And Will Available Pan India In Coming Years.

Vsnac Is The New Industry Leader Because Our Team Is Mainly Focused On Giving Its Customer No.1 Quality Premium Product At Very Reasonable Price.

Our Premium Gypsum Plaster Is Made From India's Top Quality Raw Gypsum In Our Latest Technology Factories By Exothermic Micronisation Process And 5 Stage Lab Testing Which Makes The Vsnac Gypsum Plaster That Every Wall Wants.



# वसनाक

### **How We Started?**

Our Young And Passionate Director Chaish Has Observed That The Top Gypsum Plaster Brands ls Not Delivering The Best Possible Quality In The Market And The Price At Which They Are Selling Is Too High. This Thing Triggered Chaish's Mind And Decided To Start A New Venture At Which We Only Focuses In Delivering The Best And No.1 Quality Gypsum Plaster At Lowest Possible Price, After A Great Research And Doing Months Of Hardwork We Launched A Revolutionary Gypsum Plaster In Market Which Is Known As The "Vsnac Gypsum Plaster".

### **Directors Message**

I Strongly Believe That Our Customer Satisfaction And Their Loyalty Are Our Success And Most Motivating Factor For Us.

Ved Prakash Madaan (Director)

I Don't Know What Response Will Come From Market Before Launching The Product But I Know Only One Thing Called "Quality" And I Only Focuses On Giving No.1 Quality In The Market And Which Results In Making Vsnac "The New Age Leader".

Chaish Madaan (Director)

### **Our Vision & Values**

Vision : To Become Market Ledaer In The Field Of Gypsum Plaster And Will Available Pan India By 2028.

#### Values :

Quality- Never Compromise On Quality.

Integrity- Strive For Continual Improvement In Operational System To Achieve Greater Coherence.

Reliability- Earn Reliability By Matching our Services With Customer's Expectations Every Time.

Prosperity: Vsnac Plaster Private Limited Believes In Prosperity For Everyone; Be It Employer Or Workers.

#### 

### **Our Mission**

With The Power Of A Highly Skilled Team, Emphasis On Quality, Integrated Systems And Assurance Of Reliability ; Vsnac Plaster Private Limited Strives To Achieve Greater Level Of Expertise And Develop Long Lasting Relation With Its Clients.










# Vsnac - The New Age Leader.

# Vsnac Gypsum Plaster

### **FEATURES**

- Higher Coverage
- Shrinkage / Crack Free
- Ultra Smooth Finish
- Excellent Bonding With Surface
- Eco Friendly Natural Plaster
- Better Setting Time
- Less Paint Consumption



### **ADVANTAGES**

- Ultra White Finish
- Fire Resistant
- Thermal Insulation
- Easy To Apply
- More Durable
- Lightweight Plaster
- Value For Money



### BENEFITS

- Save 70% Plastering Time
- Excellent Strength After Drying
- Reduce 35% Plastering Cost
- Leaves Very Less Residue
- Low Thermal Conductivity, Helps To Save Electricity.
- Economical
- No Water Curing Required



+++++

# **Vsnac Gypsum Plaster**

### **TECHNICAL SPECIFICATIONS**

>>>>>

TECHNICAL PARAMETER	VSNAC GYPSUM PLASTER
Setting Time	12-22Min.
Whiteness(%)	74+
Coverage(1Kg)	1Sq. Ft. (12mm Thickness)
Density (Kg/m³)	700-780
Water To Plaster Ratio	1:1.25
Transverse Strength(Kg/cm²)	17-22
Compressive Strength(N/mm²)	2.5-4.5
Chemical Composition	Calcium Sulphate Hemihydrate {CaSO₄.1/2 H₂O}
Residue	2-3%
Wastge	Nil

### **APPLICATION PROCEDURE**



**Step 1:** Add Gypsum Plaster to water not vise versa until a uniform mixture is attained. (water gypsum ratio 70%)



**Step 3:** The advisable thickness of the gypsum plaster is 10-15mm.



**Step 2:** Apply Gypsum Plaster on clean wall and trowel surface progressiverly until a smooth finish is attained.



**Step 4:** The finished surface should be protected from prolonged exposure to moisture as it may cause loss of strength or adhesion.



**Step 5:** Leave the surface for complete drying for 2-3 days.

### **PACKING, STORAGE & HANDLING**

- It Is Packed 25Kg.
- Neat And Clean Mositure Proof Block Bottom Bags.
- Packed In Fix Sized Vsnac Labelled Bag.
- Batch No. And Date Of Manufacturing Printed On It.
- Keep Dry Use No Hooks.





## Naye Bharat Ka Naya Gypsum **Plaster!**



### A Quality Product Of: VSNAC PLASTER PRIVATE LIMITED

5-7, Main Road, Karni Industrial Area, Bikaner, Pincode: 334004 (Rajasthan) Call: 91-7877379245 or Mail: info@vsnacplaster.com

वसनाक







Follow us on: Visit us at: www.vsnacplaster.com

